



Tiger Lubricants RANGE

ENGINE OIL

Mono Grade Petrol Engine Oil

SAE:30, SAE 40, SAE 50
API : SF, SG, SJ

Multigrade Petrol Engine Oil

SAE 20W50, SAE20W40, SAE15W50, SAE10W30, SAE10W40
API: SF, SJ, SL, SM

Mono Grade Diesel Engine Oil

SAE 40/ 50
API : CF/CF4/CG/CG4/CH4

Multigrade Diesel Engine Oil

SAE: 20W50,20W40, 15W40,15W50
API: CF4, CG4, CH4, CI4

Synthetic Petrol Engine Oil

SAE 0W30, SAE5W30, SAE5W40, SAE10W30, SAE10W40
API: SL, SM, SN

Synthetic Diesel Engine Oil

SAE 5W40, SAE 10W40, SAE 15W40
API: CI4, CJ4, CK4

Motorcycle Engine Oil

2 Stroke Engine oil / 4 Stroke Engine oil

Coolants & Anti -Freeze

33%,40%,50%,100%

Brake Fluids

DOT 3, DOT 4, DOT 5.1

Transmission & Gear & Oil -

ATF: ATF CVT, ATF DXVI, ATF DX III, ATF DX II
Gear oil: SAE 90, SAE 140 - API: GL4, GL5





INDUSTRIAL LUBRICANTS

Hydraulic Oil

ISO 10W, ISO 32, ISO 37, ISO 46, ISO 68, ISO 100

Industrial Gear Oil

SAE: 90, SAE140, SAE80W90, SAE85W90, SAE85W140
API: GL4, GL5

Compressor Oil

ISO 32, ISO 46, ISO 68, ISO 100, ISO 150

SPECIALITY LUBRICANTS

Turbine Oil

ISO 32, ISO 46, ISO 68, ISO 100, ISO 150

Metal Working Fluid

Soluble Cutting Oil

Heat Transfer Oil

Spindle Oil

Mould Release Oil

GREASES

Industrial & Automotive Grease

Calcium Multipurpose Grease MP2 / MP3

Lithium Multipurpose Grease MP2 / MP3

Speciality Grease

Bentonite Grease / Lithium Complex EP0

MARINE LUBRICANTS

SAE 30, SAE 40, SAE 50

API: CF, CF4

TBN Levels: 5, 10, 30, 50 & 70



MULTI GRADE DIESEL ENGINE OIL

Tiber Lubricants, multi grade engine oils are formulated from the high quality mineral and synthetic base oil blended with superior quality additives for modern engines to achieve low emissions and high performance.

GRADES:

SAE 20W50, SAE 20W40, SAE 15W40, SAE15W50

API: CF4, CG4, CH4, CI4, CK4

RECOMMENDED:

It is perfect oil for diesel automotive engines of heavy trucks, commercial vehicles including those fitted with turbo engines. It is also recommended for of road vehicles.

BENEFITS:

Tiber Lubricants engine oil is designed to provide ultimate cleaning power, wear protection and overall performance for longer drain intervals.

1L, 4L, 5L, 20L, 25L, 208L and bulk



COOLANTS & ANTI-FREEZE

Tiber Lubricants anti freeze coolant is formulated from the premium quality Glycols blended with superior quality of additives.

CONCENTRATION: 33%, 40%, 50%, 100%

API: SAEJ 1034

RECOMMENDED:

It is recommended for all types of Hydraulic Braking Systems.

BENEFITS:

- Protects against corrosion and deposits.
- Provides higher boiling point to protect against engine overheating.
- Prevents coolant freezing.
- Maximizes aluminium engine component life.
- Compatible with commonly used gaskets and seals.

PACK SIZE:

1L, 4L, 5L, 20L, 25L, 200L, 208L and Bulk



GREASE

CALCIUM GREASES

Tiber Lubricants Calcium based automotive and other general purpose grease designed specially for chassis applications. It is processed from selected raw materials under optimum conditions to ensure uniform adhesion and adequate resistance to water and other contaminants. It meets BIS: 506 - 1993

GRADES:

Calcium Multipurpose grease MP2/MP3

APPLICATIONS:

This is recommended for use on all types of automotive chassis, water pump and other general purpose applications like universal joints, suspensions and other components.

PROPERTIES:

- Outstanding wide range of operating temperature
- Outstanding water washout resistance
- Excellent shock load-carrying ability

PACK SIZE : 500gm, 1Kg, 15Kg, 180 Kg



LITHIUM GREASES

Tiber Lubricants Premium high temperature greases formulated to protect Industrial, Automotive, Heavy duty Fleet and Farm equipment

GRADES:

Lithium Multipurpose grease MP2 / MP3, Lithium Extreme pressure grease EP2 / EP3

APPLICATIONS:

For all types of bearings including plain bearings, heavily loaded journal bearings, ball and roller bearings, needle bearings and couplings

RECOMMENDED:

For wheel bearings, including disc brake application, ffit wheels, U-joints, steering linkage and chassis applications

PROPERTIES:

- Outstanding wide range of operating temperature
- Exceptionally low start up resistance
- Outstanding water washout resistance
- Resists bearing leakage at higher temperatures
- Excellent shock load-carrying ability

PACK SIZE: 500gm, 1Kg, 15Kg, 180 Kg



SPECIALITY GREASE

CALCIUM SULFONATE GREASE

This is “newer” technology and the OBCS not only functions as thickener but also as EP agent and corrosion inhibitor. Outstanding multi-purpose grease, no shortcomings or weaknesses.

BENEFITS:

- Low additive content
- Calcite structure of thickener provides EP and AW
- Excellent oxidation resistance
- Excellent mechanical stability
- High dropping point
- Excellent corrosion resistance
- Acceptable low-temperature properties

RECOMMENDED:

- Marine equipment
- Heavy mobile equipment
- Cables exposed to saltwater
- Paper machine (wet and dry end, bearings)
- Slab mills/steel mills roller bearings
- Centralized lube systems/auto lube, service shops

PACK SIZE: 15Kg, 180 Kg

BENTONITE GREASE

Bentonite grease is the most popular non-soap thickened greases. These smooth-textured greases can have outstanding heat resistance, since the thickener will not melt and when tested for dropping point, do not give a value.

BENEFITS:

- No dropping point
- Excellent water resistance
- Fair work stability
- Fair low-temperature properties
- Abrasive parts can accumulate over time
- Limited corrosion resistance, extreme pressure and AW
- High-temperature limitations

RECOMMENDED:

- High temperature applications for short intervals
- Frequent relubrication needed

PACK SIZE: 15Kg, 180 Kg

LITHIUM COMPLEX

Lithium complex grease is a soap grease that is of higher complexity than the normal metal soaps. It works well in automotive, construction and general industrial applications.

BENEFITS:

- High maximum operating temperature
- Very good water resistance
- Very good work stability
- Very good oil separation resistance
- Very good low-temperature pumpability
- Good oxidation stability

RECOMMENDED:

Automotive chassis lubrication - Shackle, pins/ball joints

PACKSIZE:

15Kg, 180 Kg





SILA KYAW CO.,LTD.

No.1065-A, 3rd & 4th Floor, 6 Quarter, Thumngalar Street, South Okkalapa Township, Yangon Region, Myanmar.

tigerlube@silakyawzaw.com

Ph No: +95 9 450002749

STALWART INTERNATIONAL FZE

support@stalwartdubai.com

Ph No: +97 567953214

P6-ELOB Office No. E-18F-05 Hamriyah, Free Zone - Sharjah, United Arb Emirates